

**Project:** 

## BERKELEY COUNTY PLANNING COMMISSION

400 West Stephen Street - Suite 203, Martinsburg, WV 25401-3838

Telephone: 304/264-1963, Fax: 304/262-3127

Web Page: www.berkeleywv.org

## PRELIMINARY PLAN CHECKLIST

(2009 Berkeley County Subdivision Ordinance\*\*)

File #:

Developer:	Engineer:						
Date Subm	itted:						
Reviewed By: Reviewed Date:							
REQUIRED INFORMATION:							
Section	Item	Eng	eyor/ ineer	Planning			
		Yes	N/A				
305.2.c	<ul> <li>Outside Agency Approvals &amp; Permits:</li> <li>Berkeley County Public Service Water District (BCPSWD)</li> <li>Berkeley County Public Service Sewer District (BCPSSD)</li> <li>West Virginia Bureau of Health (Water)</li> <li>West Virginia Bureau of Health (Sewer)</li> <li>West Virginia Department of Highways Approval</li> <li>Central Dispatch Road Names</li> <li>WV DEP Groundwater Protection Permit</li> <li>WV NPDES Permit</li> <li>Berkeley County Health Department</li> <li>US Army Corps of Engineers</li> </ul>						
402.1	<ul> <li>General Information:</li> <li>Plat scale of one-hundred (100) feet or less = one (1) inch</li> <li>Sheet size of 24" x 36" with 1 ½ " binding</li> <li>Index sheet shall be included for plans with multiple sheets</li> <li>Plan clearly labeled as "PRELIMINARY PLAN"</li> </ul>						
402.2.a.1	<ul> <li>Vicinity Map:</li> <li>Scale of 600 feet or less = 1 inch</li> <li>Site location</li> <li>Show public roads, landmarks, and geographic features within one thousand (1000) feet of development site</li> </ul>						
402.2.a.2	<ul> <li>Adjoiner Information:         <ul> <li>Owner name, current land use, deed reference and tax map number</li> <li>Adjacent subdivisions, current or proposed, along with Berkeley County Planning Commission File Number</li> </ul> </li> </ul>						
402.2.a.3	Proposed name of the land development / project						
402.2.a.4	Name and address of Owner and Subdivider/Developer						
402.2.a.5	If applicant is different than owner, letter from owner authorizing Applicant to act as agent with full authority						

Revised March 1, 2013

Section	Item	Yes	N/A	Planning
402.2.a.6	Name, address, and signed Seal of the Registered Engineer			
402.2.a.7	North Arrow (with basis of north), Scale, and Date			
402.2.a.8	Title Block, location of tract by tax district, map and parcel number;			
	deed book and page number			
402.2.a.9	Surveyors Certificate certifying exterior property lines			
402.2.a.10	Computational Breakdown:			
	Total area (acreage)			
	Open space			
	Conservation Easements			
	Stormwater management areas			
	Residue			
	• Lot area(s)			
	<ul><li>Gross density per acre</li></ul>			
	* *			
402.2 - 11	• Rights-of-way	$\overline{}$		
402.2.a.11	If phasing is proposed, provide an overall site map of the entire			
402.2 12	development including future sections or phases			
402.2.a.12	Re-Plat Statement:			
	"This is a re-plat of <u>(subdivision name)</u> recorded on <u>(date)</u> ,	Ш		
	in Plat Book, Page Number, Owned by(owner) at time of			
402.2.a.13	recording."  In case of re-plat, dotted or dashed lines shall show features or locations			
402.2.a.15				
	to be abandoned with solid lines showing proposed features or locations.			
402.2 - 14	Date of plat preparation and dates of any revisions			
402.2.a.14				
402.2.a.15	Completed Engineering Preliminary Plat Checklist     Completed Engineering Preliminary Plat Checklist	H		
402.2 h 1	Completed Planning Preliminary Plat Checklist  Site Potential  Completed Planning Preliminary Plat Checklist			
402.2.b.1	Site Data:			
	Subdivision boundaries w/distances including area to be  and divided/developed and remainden treat	Ш		
	subdivided/developed and remainder tract			
	Existing restrictive easements and rights-of-way and use	H		
402.21.2	Parks, conservation easements, public open spaces	Ш		
402.2.b.2	Existing Features – Man-made:			
	Built structures	H		
	Power transmission towers or power lines	H		
	Historic areas or features	H	$\mid \; \mid \; \mid \; \mid \; \mid$	
	• Sewers, water mains, utility lines, fire hydrants, culverts	H	$\mid \; \mid \;$	
40.4	• Cemeteries			
402.2.b.2	Existing Features – Natural:			
	<ul> <li>Forested areas and tree groves</li> </ul>	H		
	<ul> <li>Wetlands, water features, and swamps</li> </ul>		$\mid \; \mid \; \mid \; \mid \; \mid$	
	<ul> <li>Outstanding topographic features</li> </ul>	H		
	Sinkholes or depressions			
402.2.b.2	<b>Note:</b> Property rights-of-way and lot lines should be ghosted in the			
	background.			
402.2.b.3	Existing Topography:			
	• Two (2) foot contour intervals	닏	닏ㅣ	
	• Where existing grades are 25% or greater, - ten (10) foot		$  \; \sqcup \;  $	
	contours			
	Off-site improvements shall show two (2) foot contours	<u> </u>		
402.2.b.4	Location, widths, and names of all existing streets or alleys within 100		$  \; \sqcup \;  $	
	feet of project site, including State Route number if applicable			

Preliminary Plan Checklist

Page 2

Revised March 1, 2013

Section	Item	Yes	N/A	Planning
402.2.b.5	Property located within the 100 year floodplain, in whole or in part:			

	delineate floodplain and						
402.2.c.1	the FEMA Floodplain N			$\overline{}$			
402.2.C.1	Layout of all proposed	_					
402.2.c.2	and area in square feet for each lot; proposed uses of property  Residential Setback Requirements (Table 5-1)						
402.2.0.2	Kesidentiai		ighway Classifica				
	Minimum Setbacks	Arterial*	Collector*	Local/Other*			
	Front 50' 50' 10'						
	Side 10' min. 10' min 10' min.						
	Rear 20' 20' 20'						
			-				
	Non-Resident	ial Setback R	equirements (Ta	ble 5-2)			
			ighway Classifica	ation	Ш		
	Minimum Setbacks	Arterial*	Collector*	Local/Other*			
	Front	75'	50'	5'			
	Side	15'	15'	5'			
	Rear	25'	25'	5'			
	*Please see Appendix A						
402.2.c.3	Location of proposed b	uildings, first i	floor elevation and	d building			
100.0	envelope						
402.2.c.4	Impervious Co	verage			ᅵ႘ᅵ	$\square$	
	• Density				ᅵ႘ᅦ	片	
102.2	Parking Calculation						
402.2.c.5	Existing and proposed			1			
402.2.c.6			eet along public hi		ᅵ႘	H	
	Proposed location     and ADTs for each section in the sectio		nd names, traffic	regulatory signs		Ш	
402.2.c.7			Call proposed street	ate and typical			
402.2.0.7	<ul> <li>Location, width, and grade of all proposed streets and typical cross sections</li> </ul>						
		nts onto a pub	lic highway must	have DOH			
	approval	nave Boll					
402.2.c.8	1.1	nsions and are	a of property for p	oublic use or to			
	<ul> <li>Location, dimensions and area of property for public use or to be conveyed to an owner's association</li> </ul>						
	<ul> <li>Location, dime</li> </ul>	nsions and are	a of proposed con	servation, open			
	space, or restric						
402.2.c.9	Proposed public improvements or streets planned for construction on or						
	near proposed land dev						
402.2.c.10	Proposed location of street trees, sidewalks and street lighting						
402.2.c.11	Standard Berkeley Cou	•	agency construct	tion details	Ш		
402.2.c.12	Proposed Drainage Sy		lucin c c -				
	Show disposition     Typical gross s		•	l ditabas	님		
	· -		mwater ponds and onsite and offsite				
	•	1018		H			
	<ul><li>Road culvert profiles</li><li>Location, size and invert elevation of storm sewers</li></ul>					Ħ.	
402.2.c.13							
402.2.0.13	construction phase						
402.2.c.14	*						
	size of main, pressure and flow available at connecting point					_	
402.2.c.15	Connections to existing sanitary sewer system (if applicable), showing						
	location, size, and invert elevations at connecting point						
	Plan Checklist Page 3						March 1, 2013
Section 402.2 o 16	Individual Carrar C4	Iten		station from:	Yes	N/A	Planning
402.2.c.16	Individual Sewer Systems: Supply approval documentation from:						
	<ul> <li>Berkeley County Health Department, State Health Department, or WV DEP</li> </ul>						
	Commercial Sites shall require an Underground Injection						
			J				

	Permit (UIC) from the WV DEP			
	Location of drainfield shown			
402.2.c.17	Individual Water Supply Systems:			
	Wells located 100' from any septic system (show radius)			
	• Wells located ten (10) feet from any property line			
402.2.c.18	Location of existing gas lines, fire hydrants, electric and telephone			
	poles, street lights, and future locations or easements			
402.2.c.19	Future street systems and topography to be shown if only part of			
	owner's property is covered by submitted Preliminary Plan			
402.2.c.20	Proposed rights-of-way or easements shall not cross any conservation			
	easement unless written permission granted by Berkeley County			
	Farmland Preservation Protection Board or other administering agency			
402.2.c.21	All grading shall be shown with existing and proposed contours and:			
	• No excavation shall be made with a face steeper than 3':1'			
	No fill shall be made which creates any exposed surface steeper			
	in slope greater than 1 ½':1'			
402.2.c.22	Locations of existing monuments and proposed monuments			
402.2.c.23	Traffic Study Required:			
	WV Department of Highways entrance permit required for all			
	sites entering onto a WV DOH road			
	Where the projected ADT is greater than 100 or for residential			
	subdivisions with fifteen (15) or more lots, a traffic study may			
	be required (no more than 18 months old)			
402.2.c.24	Required traffic studies shall refer to WV DOT Traffic Engineering			
	Directive 106-1-April 19, 2004, et. seq.			
	CURRY ENVENTAL INFORMATION/DECICN CRITERIA			
C4	SUPPLEMENTAL INFORMATION/DESIGN CRITERIA		BT/A	DI
Section 402.3	Item	Yes	N/A	Planning
402.3	Hydrogeologic testing required for subdivisions of fifteen (15) lots or	Ш	╽╙╵	
402.5.2	more, not served by public water or sewer  Identification of Sensitive Areas:			
402.3.2	Streams, sinkholes and springs			
	<ul> <li>Streams, sinkholes and springs</li> <li>Floodplain boundaries</li> </ul>	H	l H	
	<ul> <li>Areas of severe slope (1 ½' horizontal to 1' vertical – 66.6%)</li> </ul>	H		
	Pedestrian trails – current or proposed	Ħ	ΙĦ	
	1 1	一		
	<ul><li>Registered State or National historic sites</li><li>Significant karst features</li></ul>	同		
	<ul> <li>Polluted/contaminated areas that pose health risk</li> </ul>	=		i
			l 🔲 i	
402 5 3	*			
402.5.3	If any of the above are present on the site, plans shall address additional			
	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.			
402.5.3 501.2.g	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:			
	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes			
501.2.g	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes  • Septic reserve areas shall be at least 10,000 square feet			
	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes  • Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:			
501.2.g	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes  • Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:  • 100 foot from perimeter of any cemetery (existing or proposed)			
501.2.g	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes  • Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:			
501.2.g	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes  • Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:  • 100 foot from perimeter of any cemetery (existing or proposed) or historic structure listed on National Register of Historic Places			
501.2.g	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  Septic areas shall be setback at least 100 feet from sinkholes Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:  100 foot from perimeter of any cemetery (existing or proposed) or historic structure listed on National Register of Historic Places 30 foot from cemeteries on adjoining property			
501.2.g	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes  • Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:  • 100 foot from perimeter of any cemetery (existing or proposed) or historic structure listed on National Register of Historic Places  • 30 foot from cemeteries on adjoining property  • 50 feet from any railroad right-of-way			March 1, 2013
501.2.g 501.2.h	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:	Yes	Revised N/A	March 1, 2013 Planning
501.2.g 501.2.h Preliminary P	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  Septic areas shall be setback at least 100 feet from sinkholes  Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:  100 foot from perimeter of any cemetery (existing or proposed) or historic structure listed on National Register of Historic Places  30 foot from cemeteries on adjoining property  50 feet from any railroad right-of-way  lan Checklist  Page 4  Item  Residential developments proposing 100 lots or greater, initially or			
501.2.g  501.2.h  Preliminary P Section	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  Septic areas shall be setback at least 100 feet from sinkholes Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:  100 foot from perimeter of any cemetery (existing or proposed) or historic structure listed on National Register of Historic Places 30 foot from cemeteries on adjoining property 50 feet from any railroad right-of-way  Item  Residential developments proposing 100 lots or greater, initially or cumulatively (phased or not phased), shall provide at least two points of			
501.2.g  501.2.h  Preliminary P Section	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes  • Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:  • 100 foot from perimeter of any cemetery (existing or proposed) or historic structure listed on National Register of Historic Places  • 30 foot from cemeteries on adjoining property  • 50 feet from any railroad right-of-way  In Checklist  Page 4  Residential developments proposing 100 lots or greater, initially or cumulatively (phased or not phased), shall provide at least two points of access onto a public road of WV DOH right-of-way (along with DOH			
501.2.g  501.2.h  Preliminary P Section 502.1	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:			
501.2.g  501.2.h  Preliminary P Section	If any of the above are present on the site, plans shall address additional requirements contained within Section 402.5.  On-Lot Sewage Disposal:  • Septic areas shall be setback at least 100 feet from sinkholes  • Septic reserve areas shall be at least 10,000 square feet  Special Feature Setbacks for Structures:  • 100 foot from perimeter of any cemetery (existing or proposed) or historic structure listed on National Register of Historic Places  • 30 foot from cemeteries on adjoining property  • 50 feet from any railroad right-of-way  In Checklist  Page 4  Residential developments proposing 100 lots or greater, initially or cumulatively (phased or not phased), shall provide at least two points of access onto a public road of WV DOH right-of-way (along with DOH			

	of existing road; all setbacks shall be measured from the edge of dedication				
	• In major subdivision with lots less than 15,000 square feet,				
	buffer area of at least fifteen (15) feet on back and side lots				
<b>702</b> 1	abutting a WV DOH road		$\dashv$	_	
503.A	Residential Setbacks shown on plan (if needed)	$\vdash \vdash$	_	Щ.	
503.B	Non-Residential Setbacks shown on plan (if needed)	$\vdash \vdash$	_	Щ.	
503.1.B	Blocks shall not exceed sixteen-hundred (1600) feet in length or be less	Ш		Ш	
<b>704</b>	than five hundred (500) feet in length	$\vdash$	$\dashv$		
504	Lots design criteria and minimum requirements	⊢⊢	$\dashv$	<u> </u>	
505	Restrictive Easements	Щ	$\dashv$	<u> </u>	
702	Monuments and Markers		$\dashv$	<u> </u>	
703	Street Signs and Traffic Controls Devices	Щ	$\dashv$		
705	Sidewalks:	$\sqcup$			
	Provided for proposed development (If not, written exception	Ш		Ш	
	request must be submitted to Planning Commission)				
	Design standards met	Ш	$\dashv$	Ш	
712	<b>Community Open Spaces and Recreational Amenities:</b>	l _		_	
	• Required for single-family developments of fifteen (15) lots or			Ш	
	more where average lot size is less than one-half of an acre	_		_	
	• No less than ten percent (10%) of total acreage contained in the				
	development, but not less than five thousand (5,000) square				
	feet				
801	Parking Requirements				
801.1	Parking Design and Construction Standards				
802	Minimum Buffer and Screening Requirements				
Article 9	Planned Unit Developments				
Article 10	Manufactured Home Community				
Article 11	Recreational Vehicle Park / Campground				
Project Not	es:				

<sup>\*\*</sup> The Berkeley County Subdivision Ordinance (2009) is the official governing regulation for all subdivision and land development in Berkeley County, WV. The above checklist is not meant to be an all-inclusive list of items to be included on plan submissions but is merely a guide to assist in plan preparation and review. All plans must be in compliance with all provisions of the Berkeley County Subdivision Ordinance (2009) prior to approval.